

Allergy Immunotherapy Order Form

For your patient's safety and to facilitate the transfer of allergy treatment to our clinic, this form must be completed for each immunotherapy to provide standardization and prevent errors. Failure to complete this form will delay or prevent the patient from utilizing our services. This completed form may be delivered by the patient, mailed, or faxed. (see address & fax above)

Patient Name: _____ Date of Birth: _____

Physician: _____ Office Phone: _____ Secure Fax: _____

Office Address: _____

Pre-Injection Checklist:

- Is peak flow required prior to injection? No Yes **If Yes,** peak flow must be > ___ L/min to give injection.
- Is the patient required to have taken an antihistamine prior to injection? No Yes
- Is the patient required to have an Epi Pen? No Yes

Injection Schedule:

Begin with _____ (dilution) at _____ ml(dose) and increase at _____ (frequency) according to the schedule below.

Contents of Vial/ Concentration					
Vial Color					
Expiration Date(s)	/ /	/ /	/ /	/ /	/ /
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	ml	ml	ml	ml	ml
	Go to next dilution	Go to next dilution	Go to next dilution	Go to next dilution	ml

Or: If at maintenance: _____ dilution at _____ ml dose at _____ interval.

Management of missed injections: (According to # of days from last injection)

During Build-Up Phase	After Reaching maintenance
to _____ days – continue as scheduled	to _____ days – give same maintenance dose
to _____ days – repeat previous dose	to _____ weeks – reduce previous dose by _____ ml
to _____ days – reduce previous dose by _____ ml	to _____ weeks – reduce previous dose by _____ ml
to _____ days – reduce previous dose by _____ ml	Over _____ weeks – contact office for instructions
Over _____ days- contact office for instructions	

Reactions:

At next visit: Repeat dose if swelling is > _____ mm and < _____ mm.
Reduce by one dose increment if swelling is > _____ mm.

Other Instructions: _____

Physician Signature: _____ Date: _____